

PATENT APPLICATION TRANSMITTAL LETTER
(Large Entity)

Docket No.
991165

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

Frey, et al.

For: **METHOD AND APPARATUS FOR IMPLEMENTING FEATURE ASSIST ON A TELECOMMUNICATIONS NETWORK**

Enclosed are:

- ☒ Certificate of Mailing with Express Mail Mailing Label No. **EM043988175US**
☒ 2 sheets of drawings.
☐ A certified copy of a application.
☒ Declaration ☒ Signed. ☐ Unsigned.
☒ Power of Attorney
☐ Information Disclosure Statement
☐ Preliminary Amendment
☒ Other: **Assignment**

JC688 U.S. PTO
09/461876
12/15/99

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	11	- 20 =	0	x \$22.00	\$0.00
Indep. Claims	3	- 3 =	0	x \$82.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$790.00
TOTAL FILING FEE					\$790.00

- ☐ A check in the amount of to cover the filing fee is enclosed.
☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **12-2325** as described below. A duplicate copy of this sheet is enclosed.
☒ Charge the amount of **\$790.00** as filing fee.
☒ Credit any overpayment.
☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: **December 15, 1999**

Herbert H. Fin
Signature

cc:

TITLE OF THE INVENTION

METHOD AND APPARATUS FOR IMPLEMENTING FEATURE ASSIST ON A TELECOMMUNICATIONS NETWORK

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates in general to telecommunications systems. In particular, the invention relates to a packet switched telephony network that can interface with the long established circuit switched telephony network.

10

2. Background Art

In recent years, voice, video, and data communication networks have rapidly converged, resulting in vast increases in the power and flexibility of modern communications. In effectuating the next step of this convergence and development, it becomes highly desirable to transmit voice communications over the same types of efficient, packet-switched networks currently used for data transmission. By routing multiple types of communications over a common network, providers of multiple communications services can exploit the efficiencies of packet communications, and potentially avoid the added expense of developing and/or maintaining multiple networks.

20

However, while converting to a packet-switched network for voice communications would offer many advantages to communication service providers and consumers alike, there already exists a vast and complex pre-existing communications infrastructure based upon circuit-switched telephony protocols. Thousands of telephony features have been implemented within the legacy circuit-switched networks, which

require great effort and time to be designed into a new packet network. Moreover, the existing circuit-switched and newer packet switched networks are not directly compatible due to substantial differences in the format and transmission protocols between circuit-switched networks and packet-switched networks. The sheer
5 magnitude and complexity of circuit-switched telephony systems already in place make it unfeasible to both develop and install a packet-switched network that completely and immediately replaces the legacy of circuit-switched networks.

As a result, it is an object of this invention to provide a packet-switched network for the conduction of telephonic communications, which interfaces with the legacy
10 circuit-switched network when necessary. While it is understood that the packet-based telephony system can readily interface with the circuit switched system in a variety of network positions using the techniques described herein, this invention specifically discloses an embodiment for routing call traffic between Local Exchange Carrier ("LEC") access tandems over a packet-based network. It is also an object of this invention to
15 allow the packet-switched network to seamlessly hand off calls to an existing circuit-switched network when the calls require telephony features that are not yet implemented in the packet-switched network.

While telecommunication service providers can stagger the introduction of advanced features into a packet-switched network by handing off calls invoking
20 unsupported features to the legacy network, such an approach would be very costly and time consuming to implement if it required the addition or modification of signaling inputs to the many existing legacy switching systems in order to effectuate such inter-system routing. Therefore, a further object of this invention is to provide a packet-

switched network which can interface with the circuit-switched network without requiring new signaling inputs, or any other changes to the legacy circuit-switched network infrastructure.

These and other objects of the present invention will become apparent to those of
5 ordinary skill in the art in light of the present specifications, drawings and claims.

SUMMARY OF THE INVENTION

The invention allows a packet-based telephony network to hand off a call to a circuit-switched telephony network when the call invokes features that are not supported by the packet-based network, but are implemented by the circuit-switched network. The bearer channel for the call is initially transmitted from an access tandem or end office to a media gateway, such as a packet voice gateway, where the call is transmitted onto a packet-based network, such as an IP-based connection or an ATM transport.

Meanwhile, an initial address message associated with the call is received by a call processing entity such as a connection gateway, which forwards the message to a feature server call processing entity within the packet network. The feature server determines from the initial address message the type of feature invoked by the call.

If the call invokes a feature that is not supported by the feature server, the feature server conveys a routing message to a terminating connection gateway, indicating that the call should be routed to a legacy circuit-switched switching system for processing. The routing message may include a trunk selection parameter, whereby the feature server specifies one of a plurality of voice trunks in a shared trunk group upon which the call should be routed to the legacy switch. Because the calls routed to the circuit-switched switching system are partitioned based upon the type of feature invoked, the switching system requires no further input or interaction with the packet-based network media gateway -- the calls are received as if they were coming directly from the access tandem. Finally, the invoked feature is provided by the circuit-switched telephony network. The call may then be either routed to its destination via the circuit-

switched network, or sent back onto the packet-based network for routing to its destination.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of a telephony network in which calls can be routed between packet-based and circuit-switched networks.

DETAILED DESCRIPTION OF THE DRAWINGS

While this invention is susceptible to embodiment in many different forms, there are shown in the drawings and will be described in detail herein specific embodiments. The present disclosure is to be considered as an exemplification of the principle of the invention intended merely to explain and illustrate the invention, and is not intended to limit the invention in any way to embodiments illustrated.

The embodiment of Figure 1 depicts a system by which calls can be routed between packet-switched and circuit-switched telephony networks as appropriate to provide call features, without modification to or disruption of the existing circuit-switched network infrastructure. In such manner, the packet-switched network can be utilized without sacrificing network functionality even when the packet network itself does not yet support all of the network call and functional features supported by the legacy circuit-switched network.

LEC access tandems receive calls from end office telephone switches in one local region and transfer such calls to a network in a different region. Local regional networks may be managed and maintained by different service providers. By utilizing access tandems to route calls out of a local geographic region, end office switches are each relieved of the need to store routing information for the multitude of alternate service provider switches. As previously discussed, it is desirable to utilize packet-based communication networks to route voice calls between tandems. Accordingly, in the embodiment of Figure 1, LEC Access Tandem 10 can route calls originating in any of end office switches 20, 30, and 40 to LEC Access Tandem 100, and the separate local geographic region serviced by end office switches 110, 120, and 130.

In particular, LEC Access Tandem 10 receives calls from end office switches 20, 30, and 40, which calls may be directed to the local region serviced by end office switches 110, 120, and 130. The calls are routed from the local end office switches to Access Tandem 10. They are then routed onto voice trunk 11, which may be, for example, a Feature Group D ("FGD") trunk, according to conventional circuit-switched protocol. Additionally, Access Tandem 10 conveys a Common Channel Signaling ("CCS") Signaling System 7 ("SS7") Initial Address Message ("IAM") onto line 12 to an SS7 network that includes Signal Transfer Points ("STPs") 140 and 150, indicating the type of call being routed onto FGD trunk 11, according to standard SS7 protocol.

The bearer channels for calls on FGD trunk 11 are received by Packet Voice Gateway ("PVG") 50. PVG 50 is a media gateway that serves as an interface between circuit-switched (time domain multiplexed) trunk 11 and packet-switched network 55, for converting the bearer channel data between the protocols. In the embodiment of Figure 1, packet-switched network 55 is comprised of Asynchronous Transfer Mode ("ATM") transports. However, packet-switched network 55 may be comprised of alternative packet-based networks, such as one based on the Internet Protocol ("IP"), as is known in the art. A call received on FGD trunk 11 is converted to packet data and routed onto packet network 55. Meanwhile, its corresponding SS7 IAM message is conveyed to the network of STPs 140 and 150 by Access Tandem 10, and received at Connection Gateway 160. Connection Gateway 160 forwards the incoming IAM message to Feature Server 170 via signaling connection 171.

Feature Server 170 manages calls throughout the packet network, administering all features implemented by the packet network. Such features may include network

management services, call control, customer services such as call waiting, Centrex-type functionality, and customized services developed for a particular provider. Feature Server 170 inspects the incoming IAM message to determine the type of call being routed, and accordingly, the type of feature(s) required to properly route and/or handle the call.

If Feature Server 170 determines from the IAM message that it can provide the features necessary to route a call, the call is routed through the extent of the packet network. In the embodiment of Figure 1, Feature Server 170 signals one or more packet network connection gateways, which in turn control associated PVGs, to direct the call through the packet network. For example, the call is routed from PVG 50 through ATM network 55 to PVG 90. PVG 90 then interworks the bearer channel onto circuit-switched trunk 91, to LEC Access Tandem 100, from which the call is distributed to the appropriate destination end office switch, 110, 120 or 130.

However, in some circumstances, particularly in early deployments of packet-based networks, calls routed into the packet-based network will require features that are not implemented on Feature Server 170, such as Advanced Intelligent Network ("AIN") services including a Virtual Private Network ("VPN") connection. Such calls are handled by the network of the present invention by a Feature Assist provision, whereby the legacy circuit-switched network is accessed to provide features that the packet network cannot.

If Feature Server 170 determines, through its evaluation of the SS7 IAM message received from Connection Gateway 160, that a call requires a feature which it cannot provide, Feature Server 170 signals Connection Gateway 180 indicating that the

call should be handed off to the legacy circuit-switched network. The call is routed from packet network 55 to PVG 60, and Connection Gateway 180 sets up a circuit switched call from PVG 60 to legacy circuit switch 70 on shared trunk group 65. The circuit switched call is received by legacy switch 70 on shared trunk group 65 as if it were
5 received directly from an LEC Access Tandem.

Legacy switch 70 then routes the call either into the legacy circuit-switched network for delivery to its destination therefrom, or back onto the packet-based network for further routing thereon, depending upon the particular call destination and feature being provided. If a call is directed to a destination that is serviced by the packet-based
10 network, legacy switch 70 may perform the feature assist and then route the call back into the packet-based network. For example, in the embodiment of Figure 1, legacy switch 70 may perform a required feature assist by interacting with a database administered at Service Control Point ("SCP") 210. The interaction is accomplished by
15 SS7 signaling known in the art, through the SS7 network that includes STPs 200 and 220. Legacy switch 70 could then route the call back into the packet-based network on TDM trunk 72, to PVG 80. The IAM is sent to Connection Gateway 180 which, together with Feature Server 170 and Connection Gateway 190, would proceed to route the call through ATM network 55 to PVG 90, for delivery to its ultimate destination by LEC
Access Tandem 100 and its associated local network via TDM trunk 91.

20 In other circumstances, a call may be routed to legacy switch 70 when its destination cannot be further serviced by the packet-switched network, or when a particular feature assist requires that the call be routed thereafter over the legacy network. Legacy switch 70 can then route the call into the legacy circuit-switched

network (not shown) of which it is a part, for subsequent completion to its destination, as is known in the art.

An important aspect of the invention reduces the processing required by legacy switch 70, and allows for the seamless interaction between the packet-based network and the legacy circuit-switched network -- without developing additional signaling inputs, or otherwise requiring changes, to legacy switch 70. In particular, Connection Gateway 180 routes packet calls received by PVG 60 on ATM transport 55 that require feature assist onto a specified one of a plurality of TDM trunks in shared trunk group 65, depending upon the type of feature invoked by each call. Each trunk is received by legacy switch 70 as a particular type, for which specific features are provided. By allocating calls within a group of trunks based upon features requested, legacy switch 70 receives an indication of the type of feature assist required for each call, thereby reducing the call processing required. Moreover, without this type of partitioning, additional signaling operations would have to be carried out between the packet-based telephony system and the legacy circuit-switched telephony system to indicate appropriate treatment for each call.

However, in typical telephony systems today, the selection of a trunk group and the parameters associated with that trunk are independent operations. Accordingly, the association of a trunk group with particular features is hidden and indirect. Therefore, the present invention contemplates the use of a Trunk Selection Parameter ("TSP"), which can be used to identify the appropriate shared trunk group to which a call should be assigned depending upon the feature assist invoked by the call.

In the embodiment of Figure 1, when Feature Server 170 detects that a call requires a feature that it cannot provide, it determines a TSP associated with the required feature. The TSP is then sent out to Connection Gateway 180. Connection Gateway 180 routes the call to a particular trunk of shared trunk group 65 based upon the call's assigned TSP. Connection Gateway 180 thereby routes the call to legacy switch 70 via the appropriate trunk group on shared trunk group 65, such that legacy switch 70 can automatically handle the call properly. Accordingly, the trunk assignment by Feature Server 170 both eliminates the need for expensive modification of the legacy circuit-switched telephony network, and also reduces the administration overhead incumbent upon legacy switch 70 in appropriately handling the calls it receives from the packet-based network.

The foregoing description and drawings merely explain and illustrate the invention and the invention is not limited thereto except insofar as the appended claims are so limited, inasmuch as those skilled in the art, having the present disclosure before them will be able to make modifications and variations therein without departing from the scope of the invention.

I claim:

1. A telephony system in which a call can be handed off from a packet-based network to a circuit-switched network when the call invokes a feature that is supported by the circuit-switched network but is not implemented on the packet-based network,

5 the system comprising:

a circuit switched network switch that routes the call onto a first voice trunk and transmits an initial address message associated with the call;

a first packet voice gateway, which sets up a connection between the first voice trunk and the packet-based network;

10 a first connection gateway that receives the initial address message;

a feature server that receives the initial address message forwarded from the first connection gateway, and conveys a routing message to a second connection gateway if the invoked feature cannot be provided by the feature server;

15 a second connection gateway that selects a second trunk onto which the call is routed, which second trunk is in a shared trunk group connected to a second circuit switched network switch;

a second packet voice gateway that sets up a connection between the packet-based network and the second trunk;

20 a second circuit-switched network switch that is connected to the circuit-switched network, which second circuit-switched switch receives the call via the second trunk and provides the feature invoked by the call.

2. The apparatus of claim 1, in which the second circuit-switched network switch also routes the call to its destination by way of the circuit-switched network.

3. The apparatus of claim 1, in which the second circuit-switched network switch also routes the call to a third packet voice gateway for transmission to its destination by way of the packet-based network.

4. The apparatus of claim 1, in which the routing message from the feature server to the second connection gateway includes a trunk selection parameter, which parameter is determined by the type of feature invoked by the call, and where the second connection gateway selects the second trunk based upon the trunk selection parameter.

5. The apparatus of claim 4, in which the second circuit-switched network switch provides at least one feature to the call, which feature is determined by the particular second trunk in the shared trunk group on which the call is received.

6. A method for handing off a call from a packet-based telephony system to a circuit-switched telephony system for call processing, the method comprising the steps of:

forwarding to a packet network feature server signaling associated with the

5 initiation of the call;

determining that the call invokes a feature that cannot be provided by the packet-based network;

routing the call from the packet-based network to a circuit-switched switch within a circuit-switched network;

10 processing the call on the circuit-switched network.

7. The method of claim 6, in which the step of forwarding signaling associated with the call further comprises the substeps of:

receiving at a connection gateway an initial address message generated by an SS7 network;

5 transmitting the initial address message from the connection gateway to the feature server.

8. The method of claim 6, in which the step of determining that the call invokes a feature that cannot be provided by the packet-based network comprises the step of the feature server assessing the initial address message.

9. The method of claim 6, in which the step of routing the call from the packet-based network to a circuit-switched switching system is further comprised of the substeps of:

assigning a trunk selection parameter corresponding to the feature invoked by

5 the call;

routing the call onto one of a plurality of trunks in a shared trunk group, which trunk is chosen based upon the assigned trunk selection parameter.

10. The method of claim 6, in which the step of processing the call on the circuit-switched network by the circuit-switched switch is comprised of the substeps of:

implementing the invoked feature on an SS7 network;

routing the call to a second packet voice gateway for further transmission via the

5 packet-based network.

11. A method for routing a telephone call from a packet network to one of a plurality of circuit switched trunks, the method comprising the steps of:

selecting a destination call processing entity within the packet network by a first call processing entity, which destination call processing entity is connected to the

5 plurality of circuit switched trunks;

conveying a trunk selection parameter from the first call processing entity to the selected destination call processing entity;

routing the call onto one of the plurality of circuit switched trunks based upon the trunk selection parameter.

ABSTRACT

A system for the handling of calls by a packet-based telephony system by which calls invoking features not implemented on the packet-based system are handed off to an existing legacy circuit-switched telephony system for further processing. Initial

5 address messages are forwarded to a packet network feature server, which determines whether the features invoked by the call can be provided. If not, the feature server assigns the call a trunk selection parameter according to the type of feature invoked. The trunk selection parameter is conveyed to a connection gateway, which routes the call on one of a plurality of voice trunks. The call is received by a circuit-switched
10 switching system for further processing according to the feature invoked.




Figure 1




Figure 1

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As the below named inventors, we hereby declare that:

Our residence, post office address and citizenship are as stated below next to each of our names.

We believe that we are am the original, first and sole inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled **METHOD AND APPARATUS FOR IMPLEMENTING FEATURE ASSIST ON A TELECOMMUNICATIONS NETWORK** the specification of which is attached hereto.

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

We acknowledge the duty to disclose all information known to ourselves which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

We hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, we acknowledge the duty to disclose all information known to us to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

We hereby appoint the following attorney(s) with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith:

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Craig J. Cox	(Reg. No. 39643)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. 41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
William S. Francos	(Reg. No. 38456)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Michael B. Johannesen	(Reg. No. 35557)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. 42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. 42201)
John P. Veschi	(Reg. No. 39058)
David Volejnicek	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)
Jeffrey M. Weinick	(Reg. No. 36304)
Eli Weiss	(Reg. No. 17765)

RECEIVED - 4 2 1 5

We hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of inventor #1:

Inventor's signature Alan Eugene Frey Date 12-14-99
Alan Eugene Frey

Residence: Naperville, Illinois

Citizenship: USA

Post Office Address: 1424 Chestnut Ridge
Naperville, Illinois 60540

Full name of inventor #2:

Inventor's signature Lyle Dean Kipp Date 12-14-99
Lyle Dean Kipp

Residence: Naperville, Illinois

Citizenship: USA

Post Office Address: 4S240 Meadow Road
Naperville, Illinois 60563

Full name of inventor #3:

Inventor's signature _____ Date _____
Om Prakash Mahajan

Residence: Ocean, New Jersey

Citizenship: USA

Post Office Address: 24 William Lane
Ocean, New Jersey 07712

0946106 434399

Full name of inventor #4:

Inventor's
signature _____ Date _____
Gerard P. O'Reilly

Residence: Manalapan, New Jersey

Citizenship: USA

Post Office Address: 13 Whitman Boulevard
Manalapan, New Jersey 07726

Full name of inventor #5:

Inventor's
signature _____ Date _____
David D. Moshenberg

Residence: Fair Haven, New Jersey

Citizenship: USA

Post Office Address: 31 Forrest Avenue
Fair Haven, New Jersey 07704

Full name of inventor #6:

Inventor's
signature Katherine Ann Zine Date 12-14-99
Katherine Ann Zine

Residence: Montgomery, Illinois

Citizenship: USA

Post Office Address: 93 Ingleshire Road
Montgomery, Illinois 60538

ATTACHMENT A

LAW OFFICES OF DICK AND HARRIS
181 West Madison Street, Suite 3800
Chicago, Illinois 60602

Attorney Name(s):	Herbert H. Finn	Reg. No.:	38139
	Richard Eugene Dick	Reg. No.:	27778
	Richard D. Harris	Reg. No.:	27898
	Howard E. Silverman	Reg. No.:	32492
	John S. Pacocha	Reg. No.:	25197
	Douglas B. Teaney	Reg. No.:	33459
	Christopher S. Clancy	Reg. No.:	44618
	James K. Cleland	Reg. No.:	44619

Telephone calls should be made to LAW OFFICES OF DICK AND HARRIS at:

Phone No.: (312) 726-4000

Fax No.: (312) 726-5834

All written communications are to be addressed to:

Herbert H. Finn
LAW OFFICES OF DICK AND HARRIS
181 West Madison Street, Suite 3800
Chicago, Illinois 60602

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As the below named inventors, we hereby declare that:

Our residence, post office address and citizenship are as stated below next to each of our names.

We believe that we are am the original, first and sole inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled **METHOD AND APPARATUS FOR IMPLEMENTING FEATURE ASSIST ON A TELECOMMUNICATIONS NETWORK** the specification of which is attached hereto.

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

We acknowledge the duty to disclose all information known to ourselves which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

We hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, we acknowledge the duty to disclose all information known to us to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

[illegible]

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Craig J. Cox	(Reg. No. 39643)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. 41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
William S. Francos	(Reg. No. 38456)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Michael B. Johannesen	(Reg. No. 35557)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. 42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. 42201)
John P. Veschi	(Reg. No. 39058)
David Volejnicek	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)
Jeffrey M. Weinick	(Reg. No. 36304)
Eli Weiss	(Reg. No. 17765)

We hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of inventor #1:

Inventor's
signature _____ Date _____
Alan Eugene Frey

Residence: Naperville , Illinois

Citizenship: USA

Post Office Address: 1424 Chestnut Ridge
Naperville, Illinois 60540

Full name of inventor #2:

Inventor's
signature _____ Date _____
Lyle Dean Kipp

Residence: Naperville , Illinois

Citizenship: USA

Post Office Address: 4S240 Meadow Road
Naperville, Illinois 60563

Full name of inventor #3:

Inventor's
signature Om Prakash Mahajan Date 12/7/99
Om Prakash Mahajan

Residence: Ocean, New Jersey

Citizenship: USA

Post Office Address: 24 William Lane
Ocean, New Jersey 07712

Date 12/7/99

Date 12/7/99

Date _____

Post Office Address: 93 Ingleshire Road
Montgomery, Illinois 60538

ATTACHMENT A

LAW OFFICES OF DICK AND HARRIS
181 West Madison Street, Suite 3800
Chicago, Illinois 60602

Attorney Name(s):	Herbert H. Finn	Reg. No.:	38139
	Richard Eugene Dick	Reg. No.:	27778
	Richard D. Harris	Reg. No.:	27898
	Howard E. Silverman	Reg. No.:	32492
	John S. Pacocha	Reg. No.:	25197
	Douglas B. Teaney	Reg. No.:	33459
	Christopher S. Clancy	Reg. No.:	44618
	James K. Cleland	Reg. No.:	44619

Telephone calls should be made to LAW OFFICES OF DICK AND HARRIS at:

Phone No.: (312) 726-4000

Fax No.: (312) 726-5834

All written communications are to be addressed to:

Herbert H. Finn
LAW OFFICES OF DICK AND HARRIS
181 West Madison Street, Suite 3800
Chicago, Illinois 60602